

DALS LIGHTING

Canada 80, de la Seigneurie blvd., E. Blainville, Quebec j7C 4N1 U.S.A. 4383, NW 124th Ave., Coral Springs, Florida 33065 877.430.1818 info@dals.com dals.com

MODEL LWA12-CC-V

NAME


Aden

12in Round Wall Sconce


The key design element of our new LED cylinder is the removable lens. This feature allows for three distinctive styles during installation.







LIGHT DISTRIBUTION



*Lumen output measured at 3000k

QUICK SPECS		ELECTRICAL DETAILS			
Size	12"	Environment	Wet		
Watts (W)	30	Location	Indoor/Outdoor		
Delivered lumens*	2100	Operating temp. (° C)	-30 to 40		
CRI	90	IP rating	IP65		
Voltage (v)	120/277/347	Input voltage (V)	120-347		
Beam angle (deg)	115	Output voltage (V)	30-40		
Mounting	Screwed in	Output current (mA)	700		
Lifespan (hrs)	50 000	Power factor	90		
Binning	5 SCDM	Driver type	Constant current		
LED model	СОВ	THD	≤ 20%		
Light direction	up and downlight	Certifications	ETL, FCC, ICES, T24/JA8		
Color temperature	2200K/2700K/3000K/3500K/4000K				

CONSTRUCTION

ORDERING GUIDE

LEDWALL-A-CC-V

Finish

BK - Black



 Lens material
 Glass

 Lens type
 Frosted

 Finish type
 Powder coated

 Housing material
 Aluminum

WHAT'S IN THE BOX	ACCESSORIES	ADAPTORS
LED flush mount fixture		
Mounting bracket		
Mounting hardware		
Wire nuts		
Instruction sheet		

RECOMMENDED DIMMER LIST*

BRAND	MODEL	DIMMER SPECS	GRADE	DIMMIN MIN	G RANGE % MAX	MAX LOAD
Lutron	DVSTV (0-10 V Controls)*	960W, 8A, 120–277 V	Compatible	9	95	33
Leviton	IP710-DLZ(0-10 V Controls)	1200VA, 10A LED, 120-277V	Compatible	0	98	42
Leviton	ZS057-30Z(0-10 V Controls)	1388VA, 4A , 347V	Compatible	0	100	28
Lutron	Vive PowPak Dimming Module RMJS-8T-DV-B(0-10 V Controls)	960VA, 8A, 120-277V	Compatible	0	100	33

*With Low-End Adjustment Feature

Minimal buzzing noise may occur with some dimmers

WARRANTY

DALS offers a 5-year warranty from the date of purchase which covers repairs or replacement of defective parts of the housing, optics, and electronics. To contact DALS customer service call 1-877-430-1818 or send an e-mail to info@dals.com.

